

# Shoreline fish distribution in Italian lakes assessed by electrofishing

SUPPORTED B	ïΥ
SEVENTH FRAMEWORK	
1200	
1.1.1	

Exported from the Freshwater Biodiversity Data Portal, http://data.freshwaterbiodiversity.eu Visit the Freshwater Metadatabase, http://data.freshwaterbiodiversity.eu/metadb/about\_metadata

#### **General information**

name of the dataset:	
full name of the dataset:	Shoreline fish distribution in Italian lakes assessed by electrofishing
full name of the datast (original/na	
	Distribuzione della fauna ittica lungo il litorale di 25 laghi italiani
dataset short name:	Shoreline fish distribution in Italian lakes
type of dataset (more information):	species distribution data
data type:	point data/observation data
short description of the dataset/su	mmary:
	The dataset includes data on fish species distribution along the shoreline of
	25 Italian lakes and reservoirs achieved by point abundance standardised
	electrofishing. Data were obtained between 2007 and 2014. The database
	offers a detailed description of the biodiversity of fish communities in the
	Italian regions of Piedmont, Lombardy, Trentino-Alto Adige and Sardinia
	including both natural lakes and reservoirs.
short description of the dataset/su	mmary (original/national language):
	Il dataset include le informazioni sulla distribuzione della fauna ittica nella
	zona litorale di 25 laghi italiani. Le informazioni raccolte sono basate su
	campionamenti effettuati con elettrostorditore da una barca, condotti
	seguendo la riva di 25 bacini italiani.
keywords according to <u>GCMD</u> :	
topic:	Biosphere, Biological Classification, Climate Indicators, Terrestrial
	Hydrosphere
ISO topic category according to IS	
	Biota, Environment, Inland Waters
INSPIRE keywords according to GI	
	Species distribution
own science keywords:	freshwater fish; Italy; lakes; non native fish species; PASE electrofishing
related project:	LIFE+ Inhabit, WISER, CENSIMENTO DELLA FAUNA ITTICA DEI LAGHI
<i>.</i>	
funding:	INHABIT - LIFE08 ENV/IT/000413.
	WISER - European Union, 7th Framework Programme, Theme 6
	(Environment including Climate Change) (contract No. 226273).
	CENSIMENTO DELLA FAUNA ITTICA DEI LAGHI SUDALPINI - REGIONE LOMBARDIA.
	REGIVINE LUMBARDIA.

## Technical and administrative specifications

data format:	CSV
operating system:	all operating systems
data language:	English
current access level:	web (public)
currently available through GBIF:	yes
exchange planned:	yes
data in data repository:	yes
specify repository:	http://150.145.35.118/Datasets/Shoreline_fish_distribution.csv
Do you plan to publish the data on	the Freshwater Biodiversity Data Portal:
	already published through the Freshwater Biodiversity Data Portal
update level:	completed
documentation:	
type:	manual
language:	English
contact details:	
metadata contact person:	
first, last name:	Pietro Volta
phone:	+39 0323 518335
email:	p.volta@cnr.it
institution:	CNR Water Research Institute
address:	Largo Tonolli 50
postal code, city:	28922 Verbania
province, state:	VB
country	Italy
web address:	http://www.irsa.cnr.it/
technical contact person:	
first, last name:	Silvia Galafassi
phone:	+39 0323 518357
email:	silvia.galafassi@gmail.com
scientific contact person:	
first, last name:	Pietro Volta
phone:	+39 0323 518335
email:	p.volta@cnr.it

## Intellectual property rights and citation

(if the dataset is already published):	
dataset creator (data compiler):	
contact name:	Pietro Volta
contact email:	p.volta@cnr.it
contact institution:	Water Research Institute IRSA - Consiglio Nazionale delle Ricerche
data contributors to/owners of this	s dataset:
	single
criteria for using the data in a pub	lication/scientific analysis:
	The dataset is publicly available (data portal, data archive) and can be
	used without restrictions, but dataset creator/data contributors must be
	informed prior to publication. Data must be acknowledged and cited
	correctly.
citation of this dataset:	
author(s):	Volta, P. & Galafassi, S.
title and journal (name, number, p	pages):
	Database on shoreline fish distribution in italian lakes assessed by
	electrofishing.
year:	2018
doi (if applicable):	https://doi.org/10.15468/pq0enb
citation of the metadata:	
author(s):	Galafassi, S., Sala, P. & Volta, P.
title and journal (name, number, p	pages):
	Shoreline fish distribution in italian lakes assessed by electrofishing.
	Freshwater Metadata Journal 0: 0-0
year:	0000
doi (if applicable):	https://doi.org/10.15504/fmj.0000.0

## General data specifications

regional coverage of the dataset:	
spatial extent of the dataset:	national
continents:	Europe
spatial extent (bounding coordinat	es):
southernmost latitude [°]:	40.553089
northernmost latitude [°]:	46.756744
westernmost longitude [°]:	7.125792
easternmost longitude [°]:	12.085461
minimum altitude:	43 metres
maximum altitude:	2275 metres
countries:	Europe: Italy
world climatic regions according t	o <u>Köppen</u> :
	Group C: temperate/mesothermal climates
	Group D: continental/microthermal climate
	Group H: alpine climates
European ecoregions according to Illies (WFD):	
	Italy, Corsica and Malta (ER3)
ecosystem type:	lakes/ponds
coverend no meframe:	2007
year to:	2014

## Site specifications

coordinate system/grid data:	latitude/longitude
	projected
datum (e.g. WGS84):	WGS84
number of sites:	<100
exact number of sites:	25

## **Biological data**

biological data origin:	from sampling,
specify project:	INHABIT - LIFE08 ENV/IT/000413. WISER - European Union, 7th
	Framework Programme, Theme 6 (Environment including Climate Change)
	(contract No. 226273). CENSIMENTO DELLA FAUNA ITTICA DEI LAGHI
	SUDALPINI - REGIONE LOMBARDIA
specify method:	
comments:	
organism group addressed:	fish

## Sample resolution

<u>fish:</u> taxonomic resolution:	
percentage of species level data:	100
taxonomic coding:	
taxalist according to:	Kottelat & Freyhof
citation:	Kottelat, M. & Freyhof, J., 2007. Handbook of European freshwater fishes.
	Publications Kottelat, Cornol and Freyhof, Berlin. 646 pp.
sample specifications:	
specification of method(s) used fo	r sampling and sorting:
	The electrofishing device was a built-in-frame EL64GII (Scubla
	Acquaculture, 7,000 W, 600 V, DC current) set up with a copper cathode (width 2.5 cm, length 300 cm) and a steel ring anode (thickness 0.8 cm,
	diameter 50 cm). The Point Abundance Sampling Electrofishing (PASE) method (Copp & Garner, 1995; ISPRA, 2014) was used in which the anode is dipped for 20 s at each sampling point. The number of points depended on lake size and habitat complexity.
reference(s):	Copp, G. H. & Garner, P., 1995. Evaluating microhabitat use of fish larvae and juveniles with point abundance sampling. Folia Zoologica 44: 145-158. ISPRA, 2014. Metodi biologici per le acque superficiali interne. Manuali e linee guida 111/2014. Rome, Italy. ISBN 978-88-448-0651

#### **Other specifications**

#### GIS layers, shape files related to the dataset: no data available availability of photos: availability of maps: quality control procedures:

Were any quality control procedures applied to your dataset?

no